



WHERE THE WORLD MEETS INNOVATION



siroco 



www.siroco.com.pt



*“Put all you are into
the smallest thing you do.”*

Kathy Fehst | CEO

It's a simple way to describe us. We like what we do and we are committed, to us, to our employees, to our customers, to our suppliers and to everyone we interact daily. We like sustained growth that substantiates trust, value by which we guide our performance.

Innovative solutions through continuous learning allied to “out of the box” thinking or if needed “inside the box”, make up a blend of expertise built on years of experience, attention to detail, fast responses and result in value adding solutions that meet our customer's expectations.

We embrace SIROCO as a family that commits itself to you through its values. Our goal is to create long term relationships in which we support our customers growth, while leading a socially and environmentally conscious business. This is our DNA, this is our contribution.

Welcome to Siroco,S.A.

We are dedicated since 1988 to the special machine construction, featuring specifically automation solutions for high-efficient assembly lines. Our development, design and construction of machines is exclusive adapted to customer specific needs, providing complex and individual solutions.


We offer pneumatic crimping machines going up to fully automatic machines with integrated crimping tools for the wire industry. Our large variety of accessories for customer tools and all the necessary wear and spare parts are delivered on-time and on-budget.

With a team of high skilled technicians, we are able of giving the necessary support throughout the tool life cycle. Presently we have over 9.000 active tools operating worldwide at customers, guaranteed high product quality as well as professional service.

Having 30 years of experience our team is capable in developing, produce and install tools, machines and jigs for the wire and harness industry.

Our innovative company has its core competence in special machinery and plant construction as well as development of prototypes. With our business divisions crimping, we can offer our customer a wide range of services.

Tailor-made combinations reinforced by innovative solutions provide an added value in reducing actual production costs and further improvement on your final product. We ship our machines worldwide and commissioning on-site complete our performance. On the next pages, you will find data of our competences, some of our actual products as well as insight on Spare -Wear parts and Extractors.



COMPETENCES

The most effective way to do it, is to do it.

Our Services

In-house development
Project Planning

Laboratory for detailed inspection and analysis of the required crimp terminals


Calibration system for adjustment of standard press shut height

Machine capability according to ISO Standards.

After Sales
Technical and Production Support
Production Analysis
Training Program
Industrial Maintenance

Quality Assurance

EN ISO 9001:2008
EN ISO 14001:2004
CE Certified machine delivery



Crimping Tool Pneumatic End Feed

Type 35

Wire range: $\leq 10,0\text{mm}^2$

Fine adjustment crimp height: (0,01 / 0,02mm)

Press stroke: 40,0mm

Shut height: 135,78mm

Accurate pneumatic feeding

Type of terminal



Crimping Tool Pneumatic Right Side Feed

Type 36

Wire range: $\leq 10,0\text{mm}^2$

Fine adjustment crimp height: (0,01 / 0,02mm)

Press stroke: 40,0mm

Shut height: 135,78mm

Accurate pneumatic feeding

Type of terminal



Crimping Tool Pneumatic Left Side Feed

Type 37

Wire range: $\leq 10,0\text{mm}^2$


Fine adjustment crimp height: (0,01 / 0,02mm)

Press stroke: 40,0mm

Shut height: 135,78mm

Accurate pneumatic feeding

Type of terminal



Big Crimping Tool Pneumatic End Feed

Type B35

Wire range: $> 10,0\text{mm}^2$ e $< 20,0\text{mm}^2$

Adjustment crimp height: (0,02 / 0,04mm)

Press stroke: 40,0mm

Shut height: 135,78mm

Accurate pneumatic feeding

Type of terminal





Big Crimping Tool
Pneumatic Left Side
Feed

Type B37

Wire range: $>10,0\text{mm}^2$ e $<20,0\text{mm}^2$


Adjustment crimp height:
(0,02 / 0,04mm)

Press stroke: 40,0mm

Shut height: 135,78mm

Accurate pneumatic feeding

Type of terminal



Special
Crimping Tool

Type 20

Wire range: $\leq 16,0\text{mm}^2$

Adjustment crimp height:
(0,02 / 0,04mm)

Press stroke: 40,0mm

Shut height: 135,78mm

Type of terminal



Special
Crimping Tool

Type 95 Manual


Wire range: $\leq 16,0\text{mm}^2$

Adjustment crimp height:
(0,02 / 0,04mm)

Press stroke: 40,0mm

Shut height: 135,78mm

Type of terminal



Special
Crimping Tool

Type 95 Pneumatic

Wire range: $\leq 16,0\text{mm}^2$

Adjustment crimp height:
(0,02 / 0,04mm)


Press stroke: 40,0mm

Shut height: 135,78mm

Accurate pneumatic feeding

Type of terminal





Special Crimping Tool

Type 95 Special


Wire range: $\geq 20,0\text{mm}^2$

Press stroke:
Defined by the customer's press

Shut height:
Defined by the customer's press

Accurate pneumatic feeding

Type of terminal



Special Bending Crimping Tool Pneumatic Left Side Feed

Type 97


Wire range: $> 16,0\text{mm}^2$

Press stroke:
Defined by the customer's press

Shut height:
Defined by the customer's press

Accurate pneumatic feeding

Type of terminal



Extractors
Blades
Spare Parts



Zona Industrial de Taboeira
Apartado 3050 · P-3801-101 Aveiro
PORTUGAL

T. +351 234 303 170 · F. +351 234 303 171
siroco@siroco.com.pt

www.siroco.com.pt

Cofinanciado por:



UNIÃO EUROPEIA
Fundo Europeu
de Desenvolvimento Regional