



The beginning of a good connection

Processing turned contacts




Increase the efficiency and quality of your production process by using Z+F stripper-crimpers / crimpers of the **AM 03 / CR 03 series** for turned contacts.

Z+F offers machines, **which can be optimally integrated in your production process**, based on your provided contacts and wires.

The crimpforce monitoring, which is developed by Z+F and adjusted to the machines, **allows controlling the crimping quality during the production process.**



Machines for processing turned contacts



Machine comparison




	PCM Crimper	CR 03	AM 03/05	AM 03 C
Machine type	Pneumatic crimp press	Crimper with automatic feed	Stripper-Crimper	Stripper-Crimper
Cross-section (mm ²)	0,14 – 2,5	0,08 – 2,5	0,08 – 2,5 0,25 – 6	0,08 – 0,5
Crimping length	36	depends on contact	depends on contact	6 – 14 mm
Cycle time	1 s	3,5 s	3,5 s	2,0 s
Crimp form	4/8-indent <u>or</u> 4-indent further on request	4/8-indent <u>or</u> 4-indent further on request	4/8-indent <u>or</u> 4-indent further on request	4/8-indent <u>or</u> 4-indent further on request

Efficiency levels for small and large quantities



Investment	+++	++	+
Degree of automation	+	++	+++
Flexibility	+++	+++	+++
Quality control	+	+++	+++

Your advantages by using the machines



**Arrange an appointment with
our specialists.**

**We are looking forward to
hearing from you.**

Zoller & Fröhlich GmbH
Simoniusstrasse 22
88239 Wangen im Allgäu
Tel.: +49 (0) 7522 9308-0
info@zofre.de / www.zofre.de